

## Food Safety by Type of Food

Some foods are more frequently associated with [food poisoning](#) or foodborne illness than others. It is especially important to handle these foods properly. Use these tips and techniques to help keep food safe and prevent food poisoning.

<b>Meat</b>	Raw meat may contain parasites and bacteria such as <a href="#">E. coli</a> and <a href="#">Salmonella</a> . Thorough cooking destroys these harmful germs, but meat can become contaminated again if it is not handled and stored properly. For information about meat preparation, see these <a href="#">fact sheets</a> .
<b>Poultry</b>	Raw poultry may contain harmful bacteria such as <a href="#">Salmonella</a> and <a href="#">Campylobacter</a> . Never wash raw poultry. Cook chicken to the proper temperature to kill germs. For information about poultry preparation, see these <a href="#">fact sheets</a> . For information about handling turkey safely, see these <a href="#">fact sheets</a> .
<b>Seafood</b>	A well-balanced diet that includes a variety of fish and shellfish can contribute to heart health and children's growth and development. But raw seafood can contain toxins such as mercury or bacteria that can be destroyed only by cooking to the proper temperature. Learn more about <a href="#">selecting, preparing, and serving seafood safely</a> .
<b>Eggs and egg products</b>	Eggs are one of nature's most nutritious and economical foods, but <a href="#">fresh eggs</a> must be handled carefully. Even eggs with clean, uncracked shells may occasionally contain <a href="#">Salmonella</a> . To prevent food poisoning, keep eggs refrigerated, cook eggs until yolks are firm, and cook foods containing eggs thoroughly.
<b>Milk, cheese, and dairy products</b>	You can get very sick from raw milk and from dairy products made with raw milk, including soft cheeses such as queso fresco and brie, as well as ice cream and yogurt. That's why it's important to

## Fresh fruits, vegetables, and juices

make sure that milk has been [pasteurized](#), which kills harmful bacteria. Learn why [raw milk](#) is risky. Fresh produce can pick up harmful bacteria from many sources, from contaminated soil and water to a contaminated cutting board. Fruit and vegetable juices must be treated to kill bacteria. Learn more about [selecting and serving produce safely](#).

## Nuts, grains, and beans

Nuts, grains, beans, and other legumes and their by-products are found in a wide variety of foods. Since these foods are ingredients in so many food products, contamination or mislabeling of allergens can pose a widespread risk. Learn more from the FDA about [food allergens](#) and what to do if symptoms occur. Also, people suffering from celiac disease—for whom consuming the gluten naturally found in some grains can lead to such serious conditions as anemia, osteoporosis, diabetes, thyroid disease, and intestinal cancers—should see FDA's [Gluten and Food Labeling](#).

## Raw flour

Flour is typically a raw agricultural product that hasn't been treated to kill germs. Bacteria are killed when food made with flour is cooked. That's why you should never taste [raw dough or batter](#).

## Baby food and infant formula

Infants and young children are more likely to get a foodborne illness because their immune systems are not developed enough to fight off infections. Take extra care when handling and preparing their [food and formula](#).

## Pet food

Pet food can contain harmful bacteria or chemical toxins. If pet food is not handled properly, both pets and people could get sick. Keep infants and young children away from areas where you feed your pets, and never allow them to touch or eat pet food. Learn more about [safely handling pet food and treats](#).

## Additional Information

[Foods Linked to Food Poisoning](#) (CDC)

---

Date Last Reviewed

April 1, 2019